



# Hacker Scripts















































































Project ID: 24743715



## Merge pull request #195 from ONEmoertime/patch-1

Nihad Abbasov authored 2 years ago

Unverified

Name	Last commit	Last update
 <a href="#">CSharp</a>		
 <a href="#">R</a>		
 <a href="#">clojure</a>		
 <a href="#">coffee</a>		
 <a href="#">go</a>		
 <a href="#">groovy</a>		
 <a href="#">java</a>		
 <a href="#">kotlin</a>		
 <a href="#">nodejs</a>		
 <a href="#">perl</a>		
 <a href="#">php</a>		
 <a href="#">powershell</a>		
 <a href="#">python</a>		
 <a href="#">python3</a>		
 <a href="#">scala</a>		
 <a href="#">.env.example</a>		
 <a href="#">README.md</a>		
 <a href="#">README.zh-CN.md</a>		
 <a href="#">fucking-coffee.sh</a>		
 <a href="#">fucking_coffee.rb</a>		
 <a href="#">hangover.rb</a>		
 <a href="#">hangover.sh</a>		
 <a href="#">kumar-asshole.sh</a>		
 <a href="#">kumar_asshole.rb</a>		
 <a href="#">smack-my-bitch-up.sh</a>		
 <a href="#">smack_my_bitch_up.rb</a>		

 **README.md**
English | 

# Hacker Scripts

Based on a [true story](#):

xxx: OK, so, our build engineer has left for another company. The dude was literally living inside the terminal. You know, that type of a guy who loves Vim, creates diagrams in Dot and writes wiki-posts in Markdown... If something - anything - requires more than 90 seconds of his time, he writes a script to automate that.

xxx: So we're sitting here, looking through his, uhm, "legacy"

xxx: You're gonna love this

xxx: [smack-my-bitch-up.sh](#) - sends a text message "late at work" to his wife (apparently). Automatically picks reasons from an array of strings, randomly. Runs inside a cron-job. The job fires if there are active SSH-sessions on the server after 9pm with his login.

xxx: [kumar-asshole.sh](#) - scans the inbox for emails from "Kumar" (a DBA at our clients). Looks for keywords like "help", "trouble", "sorry" etc. If keywords are found - the script SSHes into the clients server and rolls back the staging database to the latest backup. Then sends a reply "no worries mate, be careful next time".

xxx: [hangover.sh](#) - another cron-job that is set to specific dates. Sends automated emails like "not feeling well/gonna work from home" etc. Adds a random "reason" from another predefined array of strings. Fires if there are no interactive sessions on the server at 8:45am.

xxx: (and the oscar goes to) [fucking-coffee.sh](#) - this one waits exactly 17 seconds (!), then opens a telnet session to our coffee-machine (we had no frikin idea the coffee machine is on the network, runs linux and has a TCP socket up and running) and sends something like `sys brew`. Turns out this thing starts brewing a mid-sized half-caf latte and waits another 24 (!) seconds before pouring it into a cup. The timing is exactly how long it takes to walk to the machine from the dudes desk.

xxx: holy sh\*t I'm keeping those

Original: <http://bash.im/quote/436725> (in Russian)

Pull requests with other implementations (Python, Perl, Shell, etc) are welcome.

## Usage

You need these environment variables:

```
# used in `smack-my-bitch-up` and `hangover` scripts
TWILIO_ACCOUNT_SID=ACxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
TWILIO_AUTH_TOKEN=yyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyy

# used in `kumar_asshole` script
GMAIL_USERNAME=admin@example.org
GMAIL_PASSWORD=password
```

For Ruby scripts you need to install gems: `gem install dotenv twilio-ruby gmail`

## Cron jobs

```
# Runs `smack-my-bitch-up.sh` monday to friday at 9:20 pm.
20 21 * * 1-5 /path/to/scripts/smack-my-bitch-up.sh >> /path/to/smack-my-bitch-up.log 2>&1

# Runs `hangover.sh` monday to friday at 8:45 am.
45 8 * * 1-5 /path/to/scripts/hangover.sh >> /path/to/hangover.log 2>&1

# Runs `kumar-asshole.sh` every 10 minutes.
*/10 * * * * /path/to/scripts/kumar-asshole.sh
```

```
# Runs `fucking-coffee.sh` hourly from 9am to 6pm on weekdays.  
0 9-18 * * 1-5 /path/to/scripts/fucking-coffee.sh
```

Code is released under WTFPL.